$(\underline{www.tiwariacademy.com})$


(Chapter 8)(Application of Integrals) XII

Exercise 8.1

Question 1:

Find the area of the region bounded by the curve $y^2 = x$ and the lines x = 1, x = 4 and the x-axis.

Answer 1:



The area of the region bounded by the curve, $y^2 = x$, the lines, x = 1 and x = 4, and the x-axis is the area ABCD.

Area of ABCD =
$$\int_{1}^{4} y \, dx$$

= $\int_{1}^{4} \sqrt{x} \, dx$
= $\left[\frac{x^{\frac{3}{2}}}{\frac{3}{2}}\right]_{1}^{4}$
= $\frac{2}{3}\left[(4)^{\frac{3}{2}} - (1)^{\frac{3}{2}}\right]$
= $\frac{2}{3}[8-1]$
= $\frac{14}{3}$ units


(www.tiwariacademy.com)

(Chapter 8)(Application of Integrals) XII

Question 2:

Find the area of the region bounded by $y^2 = 9x$, x = 2, x = 4 and the x-axis in the first quadrant.

Answer 2:



The area of the region bounded by the curve, $y^2 = 9x$, x = 2, and x = 4, and the x-axis is the area ABCD.

Area of ABCD =
$$\int_{2}^{4} y \, dx$$

= $\int_{2}^{4} 3\sqrt{x} \, dx$
= $3\left[\frac{\frac{3}{2}}{\frac{3}{2}}\right]_{2}^{4}$
= $2\left[x^{\frac{3}{2}}\right]_{2}^{4}$
= $2\left[(4)^{\frac{3}{2}} - (2)^{\frac{3}{2}}\right]$
= $2\left[8 - 2\sqrt{2}\right]$
= $\left(16 - 4\sqrt{2}\right)$ units


(www.tiwariacademy.com)

(Chapter 8)(Application of Integrals) XII

Question 3:

Find the area of the region bounded by $x^2 = 4y$, y = 2, y = 4 and the y-axis in the first quadrant.

Answer 3:



The area of the region bounded by the curve, $x^2 = 4y$, y = 2, and y = 4, and the y-axis is the area ABCD.

Area of ABCD =
$$\int_{2}^{4} x \, dy$$

= $\int_{2}^{4} 2\sqrt{y} \, dy$
= $2 \int_{2}^{4} \sqrt{y} \, dy$
= $2 \left[\frac{y^{\frac{3}{2}}}{\frac{3}{2}} \right]_{2}^{4}$
= $\frac{4}{3} \left[(4)^{\frac{3}{2}} - (2)^{\frac{3}{2}} \right]$
= $\frac{4}{3} \left[8 - 2\sqrt{2} \right]$
= $\left(\frac{32 - 8\sqrt{2}}{3} \right)$ units

(www.tiwariacademy.com)


(Chapter 8)(Application of Integrals) XII

Question 4:

Find the area of the region bounded by the ellipse $\frac{x^2}{16} + \frac{y^2}{9} = 1$

Answer 4:

The given equation of the ellipse, $\frac{x^2}{16} + \frac{y^2}{9} = 1$



It can be observed that the ellipse is symmetrical about x-axis and y-axis. \therefore Area bounded by ellipse = 4 \times Area of OAB

Area of OAB =
$$\int_{0}^{4} y \, dx$$

= $\int_{0}^{4} 3\sqrt{1 - \frac{x^{2}}{16}} dx$
= $\frac{3}{4} \int_{0}^{4} \sqrt{16 - x^{2}} \, dx$
= $\frac{3}{4} \left[\frac{x}{2} \sqrt{16 - x^{2}} + \frac{16}{2} \sin^{-1} \frac{x}{4} \right]_{0}^{4}$
= $\frac{3}{4} \left[2\sqrt{16 - 16} + 8 \sin^{-1} (1) - 0 - 8 \sin^{-1} (0) \right]$
= $\frac{3}{4} \left[\frac{8\pi}{2} \right]$
= $\frac{3}{4} [4\pi]$
= 3π

Therefore, area bounded by the ellipse = $4 \times 3\pi = 12\pi$ units

(www.tiwariacademy.com)


(Chapter 8)(Application of Integrals) XII

Question 5:

Find the area of the region bounded by the ellipse $\frac{x^2}{4} + \frac{y^2}{9} = 1$

Answer 5:

The given equation of the ellipse can be represented as



$$\frac{x^2}{4} + \frac{y^2}{9} = 1$$

$$\Rightarrow y = 3\sqrt{1 - \frac{x^2}{4}} \qquad \dots (1)$$

It can be observed that the ellipse is symmetrical about x-axis and y-axis.

 \therefore Area bounded by ellipse = 4 \times Area OAB

∴ Area of OAB =
$$\int_0^2 y \, dx$$

= $\int_0^2 3\sqrt{1 - \frac{x^2}{4}} dx$ [Using (1)]
= $\frac{3}{2} \int_0^2 \sqrt{4 - x^2} \, dx$
= $\frac{3}{2} \left[\frac{x}{2} \sqrt{4 - x^2} + \frac{4}{2} \sin^{-1} \frac{x}{2} \right]_0^2$
= $\frac{3}{2} \left[\frac{2\pi}{2} \right]$
= $\frac{3\pi}{2}$

Therefore, area bounded by the ellipse = $4 \times \frac{3\pi}{2} = 6\pi$ units

 $(\underline{www.tiwariacademy.com})$


(Chapter 8)(Application of Integrals)
XII

Question 6:

Find the area of the region in the first quadrant enclosed by x-axis, line $x = \sqrt{3}y$ and the circle $x^2 + y^2 = 4$

Answer 6:

The area of the region bounded by the circle, $x^2+y^2=4, x=\sqrt{3}y$, and the x-axis is the area OAB.



The point of intersection of the line and the circle in the first quadrant is $(\sqrt{3},1)$. Area OAB = Area Δ OCA + Area ACB

 $(\underline{www.tiwariacademy.com})$

(Chapter 8)(Application of Integrals)

XII

Area of OAC
$$= \frac{1}{2} \times OC \times AC = \frac{1}{2} \times \sqrt{3} \times 1 = \frac{\sqrt{3}}{2}$$
 ...(1)
Area of ABC $= \int_{\sqrt{3}}^{2} y \, dx$
 $= \int_{\sqrt{3}}^{2} \sqrt{4 - x^{2}} \, dx$
 $= \left[\frac{x}{2} \sqrt{4 - x^{2}} + \frac{4}{2} \sin^{-1} \frac{x}{2} \right]_{\sqrt{3}}^{2}$
 $= \left[2 \times \frac{\pi}{2} - \frac{\sqrt{3}}{2} \sqrt{4 - 3} - 2 \sin^{-1} \left(\frac{\sqrt{3}}{2} \right) \right]$
 $= \left[\pi - \frac{\sqrt{3}\pi}{2} - 2 \left(\frac{\pi}{3} \right) \right]$
 $= \left[\pi - \frac{\sqrt{3}\pi}{2} - \frac{2\pi}{3} \right]$...(2)

Therefore, area enclosed by x-axis, the line $x = \sqrt{3}y$

and the circle
$$x^2 + y^2 = 4$$
 in the first quadrant = $\frac{\sqrt{3}\pi}{2} + \frac{3\sqrt{\pi}}{3} = \frac{3\sqrt{\pi}}{2} = \frac{3\sqrt{\pi}}{3}$ units

Question 7:


Find the area of the smaller part of the circle $x^2 + y^2 = a^2$ cut off by the line $x = \frac{a}{\sqrt{2}}$

Answer 7:

The area of the smaller part of the circle, $x^2 + y^2 = a^2$, cut off by the line, $x = \frac{a}{\sqrt{2}}$, is the area ABCDA.

(www.tiwariacademy.com)

(Chapter 8)(Application of Integrals)
XII



It can be observed that the area ABCD is symmetrical about x-axis. \therefore Area ABCD = 2 \times Area ABC

Area of ABC =
$$\int_{\frac{a}{\sqrt{2}}}^{\alpha} y \, dx$$

= $\int_{\frac{a}{\sqrt{2}}}^{\alpha} \sqrt{a^2 - x^2} \, dx$
= $\left[\frac{x}{2} \sqrt{a^2 - x^2} + \frac{a^2}{2} \sin^{-1} \frac{x}{a} \right]_{\frac{a}{\sqrt{2}}}^{a}$
= $\left[\frac{a^2}{2} \left(\frac{\pi}{2} \right) - \frac{a}{2\sqrt{2}} \sqrt{a^2 - \frac{a^2}{2}} - \frac{a^2}{2} \sin^{-1} \left(\frac{1}{\sqrt{2}} \right) \right]$
= $\frac{a^2 \pi}{4} - \frac{a}{2\sqrt{2}} \cdot \frac{a}{\sqrt{2}} - \frac{a^2}{2} \left(\frac{\pi}{4} \right)$
= $\frac{a^2 \pi}{4} - \frac{a^2}{4} - \frac{a^2 \pi}{8}$
= $\frac{a^2}{4} \left[\pi - 1 - \frac{\pi}{2} \right]$
= $\frac{a^2}{4} \left[\frac{\pi}{2} - 1 \right]$

(www.tiwariacademy.com)

(Chapter 8)(Application of Integrals) XII

Therefore, the area of smaller part of the circle, $x^2 + y^2 = a^2$, cut off by the line, $x = \frac{a}{\sqrt{2}}$


is
$$\frac{a^2}{2} \left(\frac{\pi}{2} - 1 \right)$$
 units.

Question 8:

The area between $x = y^2$ and x = 4 is divided into two equal parts by the line x = a, find the value of a.

Answer 8:

The line, x = a, divides the area bounded by the parabola and x = 4 into two equal parts.



It can be observed that the given area is symmetrical about x-axis.

⇒ Area OED = Area EFCD

(www.tiwariacademy.com)

(Chapter 8)(Application of Integrals)
XII

Area
$$OED = \int_0^a y \, dx$$

$$= \int_0^a \sqrt{x} \, dx$$

$$= \left[\frac{x^{\frac{3}{2}}}{\frac{3}{2}} \right]_0^a$$

$$= \frac{2}{3} (a)^{\frac{3}{2}} \qquad \dots (1)$$
Area of $EFCD = \int_0^4 \sqrt{x} \, dx$

$$= \left[\frac{x^{\frac{3}{2}}}{x^{\frac{3}{2}}} \right]^4$$

$$= \left\lfloor \frac{x^{\frac{3}{2}}}{\frac{3}{2}} \right\rfloor_{0}$$

$$= \frac{2}{3} \left[8 - a^{\frac{3}{2}} \right] \qquad \dots (2)$$

From (1) and (2), we obtain

$$\frac{2}{3}(a)^{\frac{3}{2}} = \frac{2}{3} \left[8 - (a)^{\frac{3}{2}} \right]$$

$$\Rightarrow 2 \cdot (a)^{\frac{3}{2}} = 8$$

$$\Rightarrow (a)^{\frac{3}{2}} = 4$$

$$\Rightarrow a = (4)^{\frac{2}{3}}$$

Therefore, the value of a is $(4)^{\frac{2}{3}}$.

Question 9:


Find the area of the region bounded by the parabola $y = x^2$ and y = |x|

Answer 9:

The area bounded by the parabola, $x^2 = y$, and the line, y = |x|, can be represented as

 $(\underline{www.tiwariacademy.com})$

(Chapter 8)(Application of Integrals)
XII



The given area is symmetrical about y-axis.

∴ Area OACO = Area ODBO

The point of intersection of parabola, $x^2 = y$, and line, y = x, is A (1, 1). Area of OACO = Area Δ OAB - Area OBACO

∴ Area of
$$\triangle OAB = \frac{1}{2} \times OB \times AB = \frac{1}{2} \times 1 \times 1 = \frac{1}{2}$$

Area of OBACO =
$$\int_{0}^{1} y \, dx = \int_{0}^{1} x^{2} \, dx = \left[\frac{x^{3}}{3} \right]_{0}^{1} = \frac{1}{3}$$

 \Rightarrow Area of OACO = Area of \triangle OAB - Area of OBACO

$$=\frac{1}{2}-\frac{1}{3}$$

Therefore, required area = $2\left[\frac{1}{6}\right] = \frac{1}{3}$ units

 $(\underline{www.tiwariacademy.com})$


(Chapter 8)(Application of Integrals)
XII

Question 10:

Find the area bounded by the curve $x^2 = 4y$ and the line x = 4y - 2

Answer 10:

The area bounded by the curve, $x^2 = 4y$, and line, x = 4y - 2, is represented by the shaded area OBAO.



Let A and B be the points of intersection of the line and parabola.

Coordinates of point A are $\left(-1, \frac{1}{4}\right)$.

Coordinates of point B are (2, 1).

We draw AL and BM perpendicular to x-axis.

It can be observed that,

Area OBAO = Area OBCO + Area OACO ... (1)

Then, Area OBCO = Area OMBC - Area OMBO

(www.tiwariacademy.com)

(Chapter 8)(Application of Integrals)
XII

$$= \int_{0}^{2} \frac{x+2}{4} dx - \int_{0}^{2} \frac{x^{2}}{4} dx$$

$$= \frac{1}{4} \left[\frac{x^{2}}{2} + 2x \right]_{0}^{2} - \frac{1}{4} \left[\frac{x^{3}}{3} \right]_{0}^{2}$$

$$= \frac{1}{4} [2+4] - \frac{1}{4} \left[\frac{8}{3} \right]$$

$$= \frac{3}{2} - \frac{2}{3}$$

$$= \frac{5}{6}$$

Similarly, Area OACO = Area OLAC - Area OLAO

$$= \int_{1}^{0} \frac{x+2}{4} dx - \int_{1}^{0} \frac{x^{2}}{4} dx$$

$$= \frac{1}{4} \left[\frac{x^{2}}{2} + 2x \right]_{-1}^{0} - \frac{1}{4} \left[\frac{x^{3}}{3} \right]_{-1}^{0}$$

$$= -\frac{1}{4} \left[\frac{(-1)^{2}}{2} + 2(-1) \right] - \left[-\frac{1}{4} \left(\frac{(-1)^{3}}{3} \right) \right]$$

$$= -\frac{1}{4} \left[\frac{1}{2} - 2 \right] - \frac{1}{12}$$

$$= \frac{1}{2} - \frac{1}{8} - \frac{1}{12}$$

$$= \frac{7}{24}$$

Therefore, required area = $\left(\frac{5}{6} + \frac{7}{24}\right) = \frac{9}{8}$ units

 $(\underline{www.tiwariacademy.com})$


(Chapter 8)(Application of Integrals)
XII

Question 11:

Find the area of the region bounded by the curve $y^2 = 4x$ and the line x = 3

Answer 11:

The region bounded by the parabola, $y^2 = 4x$, and the line, x = 3, is the area OACO.



The area OACO is symmetrical about x-axis.

∴ Area of OACO = 2 (Area of OAB)

Area OACO =
$$2\left[\int_0^3 y \, dx\right]$$

= $2\int_0^3 2\sqrt{x} dx$
= $4\left[\frac{3}{2}\right]_0^3$
= $\frac{8}{3}\left[(3)^{\frac{3}{2}}\right]$
= $8\sqrt{3}$

Therefore, the required area is $8\sqrt{3}$ units.

 $(\underline{www.tiwariacademy.com})$

(Chapter 8)(Application of Integrals) XII


Question 12:

Area lying in the first quadrant and bounded by the circle $x^2 + y^2 = 4$ and the lines x = 0 and x = 2 is


- B. $\frac{\pi}{2}$
- C. $\frac{\pi}{3}$
- D. $\frac{\pi}{4}$

Answer 12:

The area bounded by the circle and the lines, x = 0 and x = 2, in the first quadrant is represented as



Thus, the correct answer is A.



 $(\underline{www.tiwariacademy.com})$

(Chapter 8)(Application of Integrals) XII


Question 13:

Area of the region bounded by the curve $y^2 = 4x$, y-axis and the line y = 3 is A. 2

- B. $\frac{9}{4}$
- C. $\frac{9}{3}$
- D. $\frac{9}{2}$

Answer 13:

The area bounded by the curve, $y^2 = 4x$, y-axis, and y = 3 is represented as



- $\therefore \text{ Area OAB} = \int_0^3 x \, dy$ $= \int_0^3 \frac{y^2}{4} dy$ $= \frac{1}{4} \left[\frac{y^3}{3} \right]_0^3$
 - $=\frac{1}{12}(27)$
 - $=\frac{9}{4}$ units

Thus, the correct answer is B.